

# Autism Correlates with Circumcision

After publishing [Circumcision Linked to Sudden Infant Death Syndrome](#) a couple of days ago, I said to myself, “If there’s a link between SIDS and circumcision there’s got to be a link between autism and circumcision. And with a quick check, sure enough, I found that there is a correlation.

When I searched for “circumcision autism” I found that many prominent, mainstream websites bring up the topic. I looked for the ones that attempt to debunk the connection, like Vice’s article, [Don’t Worry Circumcision Probably Doesn’t Cause Autism](#) but they didn’t actually have any evidence against the findings. So what are the findings?

*Based on converging observations in animal, clinical and ecological studies, we hypothesised a possible impact of ritual circumcision on the subsequent risk of autism spectrum disorder (ASD) in young boys.” – [Study by Morten Frisch and Jacob Simonsen](#)*

The study was a national, register-based cohort study done in Denmark, published in 2015. The study looked at 342,877 boys born between 1994 and 2003, with an age range of 0 to 9 years old. The study showed that circumcised boys were more likely than intact boys to develop autism spectrum disorder, regardless of cultural background.

*We confirmed our hypothesis that boys who undergo ritual circumcision may run a greater risk of developing ASD. This finding, and the unexpected observation of an increased risk of hyperactivity disorder among circumcised boys in non-Muslim families, need attention, particularly because data limitations most likely rendered our HR estimates conservative. Considering the widespread practice of non-*

*therapeutic circumcision in infancy and childhood around the world, confirmatory studies should be given priority.”*

**Recommended:** [\*Detoxify and Heal From Vaccinations – For Adults and Children\*](#)

I always find it strange how averse people are to discussing the problems with circumcision. I suspect that the idea that we would do such harm to our children conjures up the strongest cognitive dissonance, even more so than with vaccines. I don't think people who have had their kids' circumcised can accept the damage they've done. I don't think most circumcision men can accept that something is wrong with their beloved penis. What surprises me is how angry anti-vaxxers became, claiming that we were trying to hide the real cause of the increasing prevalence of autism spectrum disorder. The topic of the aforementioned circumcision-SIDS article created a very heated debate on social media.

On that note, let me be clear: Autism and SIDS and other chronic childhood diseases are caused by damage. The damage is done with toxins, trauma, and a lack of good nutrition. Poor food choices including most formulas, GMOs, and refined sugars (to name just a few) cause damage. So do vaccines. So does circumcision. So can dropping a baby on his head. So does ignoring a child for long periods of time. As much as we all like simple cause and effect explanations, there is rarely only one cause for chronic illness. Our society's inability to understand complex systems will be our undoing.

**Recommended:**

- [\*Detoxify and Heal From Vaccinations – For Adults and Children\*](#)
- [\*Doctors Against Vaccines – Hear From Those Who Have Done the Research\*](#)
- [\*Trump's Administration Is Not A Fan of Breastfeeding\*](#)
- [\*Galactagogues Foods, Herbs, and other Ways to Increase\*](#)

## Breast

- [Shaken Baby Syndrome – Child Abuse or Vaccine Injury?](#)
- [Common Bad Parenting Advice You Should Ignore](#)
- [New Study Suggests Women Could, and Maybe Should, Eat While In Labor](#)